



**TRINITY COLLEGE FOR WOMEN
NAMAKKAL
Department of Mathematics**

**NME-BASIC STATISTICS-II
23USTN03 - EVEN Semester**

Topic: SEQUENCE AND SERIES


**Presented by
Mrs. A.Thenmozhi
Assistant Professor
Department of Mathematics
<http://www.trinitycollegenkl.edu.in/>**

SEQUENCE

- ❖ A set of numbers arranged in a specific order is a sequence.
- ❖ Each number in the sequence is called a term.
- ❖ u_1 , u_2 , and u_3 are the first , second and third terms of the sequence respectively.
- ❖ From the first three terms, succeeding terms can be determined when they have specific relation.
- ❖ Example : (i) 1, 5, 9,.....
(ii) -7, 49, -343,.....

SERIES

- When the successive terms of a sequence are connected by plus or minus signs, the sequence is called a series.
- Example : (i) $u_1+u_2+u_3+\dots$
(ii) $1+5+9+\dots$ are series.
- A series is called a finite series if it contains finite number of terms.
- It is called an infinite series if it contains infinite number of terms.



Arithmetic series

If the successive terms increase or decrease by a constant(quantity), the series is called Arithmetic series.

The constant quantity is called common difference.

The Standard form of an AP is

$$a, a+d, a+2d, \dots$$

Where

a is first term,

d is a common difference.

Geometric Series

If the successive terms increase or decrease by a constant factor, the series is called Geometric series.

The constant factor is called common ratio.

The Standard form of an GP is

$$a, ar, ar^2, \dots$$

Where

a is first term,

r is a common ratio.

Harmonic Series

- ❖ A series of number is called harmonic series, if the reciprocal of the numbers of an arithmetic progression.
- ❖ The relation between harmonic Series and Arithmetic series helps to solve problems under harmonic series

The Formula of Arithmetic Series

The formula for the nth term is given by

$$a_n = a + (n - 1) d,$$

where a is the first term,
 d is the difference, and
 n is the total number of the terms.

The formula for the calculation is given below.

Sum of an Arithmetic Series

$$S_n = n/2 * (2a) + (n-1)d$$

Using the above formula, sum to the nth term can be found.

The Formula of Geometric Series

we can define geometric series as

$$\sum_{n=1}^{\infty} ar^n = a + ar + ar^2 + \dots + ar^n$$

Where a is the first term and
 r is the common ratio for the geometric series.

$$a_n = a_1 r^{n-1}$$

Then the formula for the n th term is:

Sum of Geometric Series

$$S_n = a(1 - r^n) / (1 - r)$$

THANK YOU

<http://www.trinitycollegenkl.edu.in/>